



GUMET Sz. Geneja Spółka Jawna
23-200 Kraśnik, ul. Kolejowa 12 POLAND
Marketing i Sprzedaż
tel. (0-81) 825-32-41 e-mail: marketing@gumet.pl
tel./fax (0-81) 825-22-31 e-mail: gumet@gumet.pl
www.polandrubber.com www.gumet.pl

Posiadamy certyfikaty:
ISO9001 ISO14001



WYMIAR [mm]			TYP
d	D	h	
5	9	2	ZBL
8	14	5	WRP
4	16	6	special
6	16	6	R
8	16	7	R
10	16	4	RS-L
8	18	5	RP
10	18	4	RP
10	18	5	RP
10	18	6	RP
6	19	6	RP
10	19	7	R
10	19	7	WRP
10	19	7	HWRP
12	19	5	R
9	20	5	R
10	20	7	R
10	20	7	WRP
12,45	20	5	WRS-L
12	21	3	ZBL
12,45	21	3	special
14	21	4/6	special
6	22	7/8	special
8	22	7	WRP
10	22	7	R
12	22	5	R
12	22	5	WRP
12	22	7	R
12	22	7	WRP
10	24	7	WRP
10	24	8	WRP
12	24	7	WRP
14	24	7	D
14	24	7	WRP
15	24	5	WRP
15	24	7	RP
15,5	24	5/6	WRP
16	24	6/6,5	special
17	24	2,35	RZBL
11,9	25	4,5	RZBL
11,9	25	5	R
12	25	7	WRP
12,7	25	6,3	D
15	25	5	R
17	25	3,2	D
12,7	25,4	6,3	D
10	26	7	R
12	26	6	R
13	26	7	R
14	26	7	R
14	26	7	R
14	26	7	WRP
15	26	7	R

WYMIAR [mm]			TYP
d	D	h	
16	26	7	R
18	26	5	WRP
20	26	4	RP
17	27	6	WRP
12	28	7	R
12	28	7	WRP
12	28	7,5	special
14	28	7	R
16	28	7	R
16	28	7	WRP
17	28	4,5	RP
17	28	7	DS-R
17	28	7	DS-L
17	28	7	DWR
17	28	7	RP
17	28	7	R
17	28	7	WRPS-R
17	28	7/13	DS-R
17	28	8	special
18	28	6	WRP
18	28	7	WRP
22	28	4	RZBL
17,46	28,58	6,3	HR
12	30	10	R
15	30	4,5	special
15	30	4,5	R
15	30	4,8	RZBL
15	30	4,8	R
15	30	5	R
15	30	5	ZBL
15	30	7	R
15	30	7/6	D
15	30	7	WRP
15	30	10	R
16	30	7	HRP
17	30	7	R
17	30	7	RP
17	30	8	special
18	30	6	WRP
18	30	6,4/8	WRP
18	30	7	R
18	30	7	RP
20	30	7	R
20	30	7	D
20	30	7	WRP
20	30	7	WRPS-R
20	30	7	HWRP
20	30	7/11	special
17	30/37	5,5/8	RPK
6	31,5	8/10	special
12,7	31,75	7,9	DP
12	32	7	R
15	32	7	WRP

WYMIAR [mm]			TYP
d	D	h	
17	32	7	R
18	32	6	WRP
18	32	7	WRP
19	32	7	R
19	32	7	WRP
20	32	6	RP
20	32	7	R
20	32	7	RP
20	32	7	WRP
22	32	5/8	special
22	32	7	R
22	32	7	RP
25	32	7	WRP
25	33	6	WR
27	33,7	4	DP
18,73	34	5	R
26	34	4	RP
26	34	4,5/7	special
19,01	34,92	6,35	DP
22,22	34,92	7,9	D
15	35	7	R
15	35	7	D
15	35	7	WRP
17	35	7	R
17	35	7	WRP
17	35	8	WRP
20	35	7	R
20	35	7	RP
20	35	10	HWRP
20	35	10	WRP
21,8	35	7	WRPS-R
22	35	7	R
22	35	7	WRP
23	35	7	WRS-R
24	35	7	WRP
25	35	5	WRP
25	35	6	WRPS-R
25	35	7	WR
25	35	7	RP
25	35	8,5	DP
25	35	8,5	ATR
24	35,55/39	8,1/10,6	special
26	36	7	R
25,4	36,5	6,3	D
19	37	7	R
19	37	10	D
20	37	7	R
25	37	5	WRP
25	37	7	R
25	37	7	WR
25	37	7	WRP
27	37	7	WR
20	38	15	special



GUMET Sz. Geneja Spółka Jawna
 23-200 Kraśnik, ul. Kolejowa 12 POLAND
 Marketing i Sprzedaż
 tel. (0-81) 825-32-41 e-mail: marketing@gumet.pl
 tel./fax (0-81) 825-22-31 e-mail: gumet@gumet.pl
www.polandrubber.com www.gumet.pl

Posiadamy certyfikaty:
 ISO9001 ISO14001



WYMIAR [mm]			TYP
d	D	h	
22	38	6,2	R
25	38	7	R
25	38	7	WRP
28	38	7	WRPS-R
28	38	7	WRP
28	38	9/11	HATR
30	38	5	D
22,22	38,01	6,5	DPG
28,5	38,07	6,2/5,5	R
28,5	38,07	6,2	WRP
25,4	38,1	6,3	D
28,4	39,9	5	special
17	40	7	WR
17	40	7	WRP
17	40	7	RDT
17	40	10	WR
19,8	40	5,5/8	special
20	40	7	R
20	40	7	WRP
20	40	7	RP
20	40	8,5/10	ATR
20	40	10	WR
21	40	7	WRP
21,5	40	7	DS-R
22	40	6/7,5	special
22	40	7	WR
22	40	7	WRP
22	40	10	R
22	40	10	RP
23,9	40	8	WRPS-R
24	40	7	WRP
24	40	10	R
24,5	40	8,4	WRS-R
25	40	7	WRP
25	40	8	WRP
27	40	7	WRP
28	40	7	R
28	40	7	RP
28	40	8	special
29,85	40	2,5	RZBL
30	40	4	RP
30	40	7	RP
30	40	7	WR
30	40	7/9	ATR
30	40	8,5/10	ATR
31	40	6	R
30	41	7/11	special
34	41,2	3,5/5,7	ZDPT
25,4	41,35	6,3	D
28,8	41,35	6,3	D
15	42	7	WRP
20	42	7	R

WYMIAR [mm]			TYP
d	D	h	
20	42	7	WRP
22	42	10	HDP
24	42	9	R
25	42	7	WR
25	42	7	WRP
25	42	8	WRPS-R
25	42	8	WRP
25	42	10	R
26	42	8	WRPS-R
26	42	8/17	special
28	42	7	WRPS-R
28	42	8	WRP
30	42	7	WRP
30	42	7/8	WRPS-L
30	42	8	WRPS-R
30	42	8	WRP
31,7	42	7/9	ATR
32	42	7	WR
32	42	7	WRP
32	42	7	WRPS-R
35	42	3,5/5,7	ZDPT
25,4	42,5	7,8	ZBL
25,4	42,8	7,9	HDPG
26,98	42,8	7,9	HDPG
27	43	9	WRPS-R
28	43	7	WRP
28	43	10	R
28	43	10	D
30	43	8	D
30	43	8	WRPS-R
30	43	8	DWRPS-R
30	43,5	13,5	DPS-L S4
32	44	10	R
31,75	44,5	6,5	HDP
22	45	8	WRPS-L
25	45	7	WRP
25	45	8	DS-R
25	45	10	WRP
30	45	7	WRS-R
30	45	7	WRP
30	45	8	D
30	45	8	WRP
32	45	7	R
32	45	7	WRP
32	45	10	WRPS-L
33	45	7	R
35	45	7	WRP
30	46	7	WRPS-R
20	47	7	R
20	47	7	WRP
20	47	10	R
20	47	10	WRP

WYMIAR [mm]			TYP
d	D	h	
22	47	7	RP
24	47	10	R
25	47	5	WRP
25	47	7	R
25	47	7	WRP
25	47/64	7/10,5	WRPK
25	47	10	R
25	47	10	WRP
25/25	47	10	special
25	47	10/12	special
26	47	10	WRP
28	47	7	WRP
28	47	8	DS-R
28	47	8	R
29,85	47	9,9/7	WRPS-LR
30	47	7	R
30	47	7	WRP
30	47	7	WRPS-R
30	47	8	WRP
30	47	8	R
30	47	10	R
30	47	10	WRP
32	47	6	RPS-R
32	47	7	WRP
32	47	10	DPS-LR
32	47	10	RP
32	47	10	WRPS-LR
32	47	10	DWRPS-LR
32	47/52	9	special
35	47	7	RS-R
35	47	7	R
35	47	7	WRP
35	47	7	RPS-R
35	47	7	WRPS-R
35	47	7/10,5	ATR
35	47	10	R
35	47	10	RP special
35	47	12	WRP
36	47	6,5/10	ATR
31,75	47,6	6,3	D
34	48	7	WRPS-LR
35	48	7	WRPS-R
35	48	10	WRPS-R
38	48	4	RZBL
38	48	10	WRP
28	48,6	8	DP
38,5	49,2	9	DPS-L
42	49,2	3,5/5,7	ZDPT
35	49,6	12,7	DPS-L S6
40	49,6	7	RZBL
30	50	7	R
30	50	7	WRP



GUMET Sz. Geneja Spółka Jawna
23-200 Kraśnik, ul. Kolejowa 12 POLAND
Marketing i Sprzedaż
tel. (0-81) 825-32-41 e-mail: marketing@gumet.pl
tel./fax (0-81) 825-22-31 e-mail: gumet@gumet.pl
www.polandrubber.com www.gumet.pl

Posiadamy certyfikaty:
ISO9001 ISO14001



WYMIAR [mm]			TYP
d	D	h	
30	50	10	R
30	50	10	RP
31	50	8	WRPS-R
32	50	10	R
35	50	8	DPS-LR
35	50	8	WRPS-R
35	50	8	WRP
35	50	10	R
35	50	10	WRP
37	50	6	WRPS-R
38	50	7	WRP
40	50	4	RZBL
40	50	7	WRP
31,75	50,7	11	HDPG
22,22	50,8	11	DP
20	52	7	WRP
20	52	10	R
20	52	10	WRP
25	52	7	WRP
25	52	10	R
25	52	10	WRP
30	52	7	DS-R
30	52	7	WRS-R
30	52	7	WRP
30	52	7	DWRPS-R
30	52/62	8/12	WRPK
30	52/62	9,5/16	WRPK
30	52	10	WR
30	52	10	WRP
30	52	11/13	special
32	52	7	WRP
32	52/72	7,5/13	special
32	52	9,5	DP
32	52	10	R
32	52	11	RP
34	52	8	WRP
35	52	5	DP
35	52	7	WRP
35	52	8	WRP
35	52	8,8	D
35	52	9	R
35	52	10	D
35	52	10	WRP
35	52	10	WR
35,9	52	8	DS-R
35,9	52	8	WRPS-R
36	52	10	R
38	52	10	D
40	52	6	WRPS-R
40	52	7	RP
40	52	8	WRP
40	52	10	WRP

WYMIAR [mm]			TYP
d	D	h	
43	52	3,5/5,7	ZDPT
40	52/58	7,5	special
40	52/62	6/8	special
27	53	7	WRP
30	53/55	4	LP1
30	53,5	9/14	ATR
30	54/57	6,5/10	special
31,75	54	9,6	HDPG
32	54	6,5	special
34,5	54	9,9/15	DPTS-LR
35	54	10	R
36	54	7	R
36	54	10/13,5	WRPTS-R
36	54	11	DP
40	54	7	WRP
41	54	12/7	special
6,5	54,6	10,5	special
28/30	55/68	7/13	special
30	55	7	WRP
30	55/68,5	8/13	WRPK
30	55	10	WRP
30	55	10/12	ATR
35	55/61	8/14,5	special
35	55	10	R
35	55	10	WRP
35	55	11	DP
38	55	10	R
40	55	7	WRP
40	55	7	WRPS-R
40	55	7	R
40	55	8	WRP
40	55	10	R
40	55	10	DPS-LR
40	55	10	WRP
40	55/62	12/13	special
41	55	6	DP
42	55	7	WRP
42	55	8	WRP
27,95	56	10	WRPSG-R
28	56/59	4	LP1
30	56/59	4	LP1
32	56	10	WRP
32	56	10	DPS-L
32	56	11	DPS-L
35	56	9	RPST-L
35	56	9/15	RPTS-LR
36	56	10/13,5	WRPST-L
38	56	10	R
38	56	12	R
38	56	10/13,5	special
40	56	7	DS-R
40	56	7	DWRS-R

WYMIAR [mm]			TYP
d	D	h	
40	56	7	WRS-R
40	56	7	WRP
40	56	10	WRP
42	56	7	WRS-R
42	56	7	R
42	56	7	WRPS-R
42	56/63	7	DFBS-R
42	56/63	7	DFBS-L
42	56	10	R
35	57	8	R
35	57	9	DPS-R
35	57	9	DPS-L
40	57,15	10	D
42	57,15	10	D
44,8	57,15	7	ZBL
35	58	10	R
36	58/67	10/19	DPKTS-LR
38	58	10	R
40	58	8	RP
40	58	10	R
40	58	10	WRPS-LR
40	58	10	WRP
42	58	8	DPS-R
42	58	8	WRPS-R
45	58	7	WRP
46	58	10,5/11	RP
48	58	4	special
50	58	4	ZBL
50	58	5	D
51	58	4	ZBL
45	58,5/63	8/14	special
38,1	58,7	12,7	HDPG
45	59,13	10	D
29	60	12	WR
30	60	10	R
40	60	7	WRP
40	60	10	R
40	60	10	RP
42	60	8	WRPS-R
42	60	10	R
43	60	11	R special
45	60	5	R
45	60	7	R
45	60	7	WRPS-L
45	60	7	WRP
45	60	8	WRP
45	60	10	R
45	60	10	WRP
53	60	4/6,2	ZDPT
44,45	60,3	9,5	RP
25	62	7	WRP
25	62	8	R



GUMET Sz. Geneja Spółka Jawna
 23-200 Kraśnik, ul. Kolejowa 12 POLAND
 Marketing i Sprzedaż
 tel. (0-81) 825-32-41 e-mail: marketing@gumet.pl
 tel./fax (0-81) 825-22-31 e-mail: gumet@gumet.pl
www.polandrubber.com www.gumet.pl

Posiadamy certyfikaty:
 ISO9001 ISO14001



WYMIAR [mm]			TYP
d	D	h	
25	62	10	WRP
30	62	7	WRP
30	62	8	R
30	62	10	R
30	62	10	WRP
35	62	7	WRP
35	62	9	RPST-L
35	62	9,5	WRPS-LR
35	62	10	WRP
35	62	11/13	special
36	62	8/19	special
40	62	7	WRP
40	62	8/11,5	RPTS-R
40	62	10	R
40	62	10	DP
40	62	10	WRP
40	62	12	WRP
40	62/69	7,5/12,5	special
42	62	7	R
42	62	7	DP
42	62	8	WRP
42	62	10	WRP
44	62	8/14	RPA
44	62	10	R
45	62	7	DP
45	62	8	DWRPS-R
45	62	8	DWRPS-L
45	62	8	WRPS-L
45	62	8	WRP
45	62	10	R
45	62	10	WRPS-L
45	62	10	WRP
45	62/66	10	DFAS-R
45	62/68	10	RPK
46	62	7	special
46	62	8/14	RPA
47	62	9	D
48	62	6	special
48	62	7	WRPS-LR
48	62	8	R
48	62/66	6/10	DPTK
48	62/66	6/11,5	special
50	62	10	WRP
6	62,5	10	special
49	62,5	8	ZDPT
49,2	62,5	8/13	special
52,5	62,5	14,5	special
48,9	63	10,8/ 12,6	special
31,75	63,5	12,7	HDPG
44,45	63,5	12,7	HDPG
51,2	63,5	7	ZBL
45	64	8	WRPS-L

WYMIAR [mm]			TYP
d	D	h	
45	64	12	WRP
48	64	12/6	DP
48,9	64	22,6	special
50	64	10	R
35	65	11/15	ATR
35	65	12/18	ATR
38	65	8	R
40	65	10	R
42	65	10	R
42	65	12	WR
42	65	12	DP
45	65	8	WRP
45	65	10	R
45	65	10	DPS-R
45	65	10	WRP
45	65/70	10	DFCS-R
48	65	10	WRP
48	65	10	R
50	65	8	R
50	65	8	WRP
50	65	10	RP
50	65	9,75/14	WRPT
56	66	5,5/8,5	special
50	66,5	13/16,5	WRPT
42	67/71	10	special
45	67	8	WRPS-R
50	67,5	13,5/8	special
35	68	10	R
35,8	68	12	DPSG-R
40	68	10	WRP
42	68	10	WR
42	68	10/15,5	ATR
48	68	8	DG
50	68	8	special
50	68	10	WRPS-LR
50	68	10	WRP
52	68	7	DP
52	68	8	WRP
52	68	13,5/6	DP
52	68/73	7,5/11,5	DPTK
53	68	10	DS-L
53	68	10	DWRPS-R
53	68	13	RP
55	68	8,5	WRP
55	68	8/10	ATR
55	68/73	8/11,5	DPTK
49,2	68,07	8	D
48	69	10	WRP
48	69,85	12,5	DPG
27,95	70	10	WRPSG-R
48	70	10	WR
48	70	12	WRPS-LR

WYMIAR [mm]			TYP
d	D	h	
50	70	6/10	RPT
50	70	10	R
50	70	10	WRP
50	70	10/13,5	RPT
50	70	12	WRP
54	70	12	WRP
55	70	6/10,5	RPT
55	70	8/9	ATR
55	70	8	R
55	70	8	WRP
55	70	10	R
53	71	11,5	special
57	71	7	WRPS-LR
25	72	7	R
30	72	10	WRP
34	72	10/7	DPS-R
35	72	9	special
35	72	10	WRP
35	72	12/16	ATR
40	72	10	WRP
45	72	8	WRP
45	72	10	WRP
48	72	10	R
48	72	12	R
50	72	8	WRP
50	72	10	R
50	72	10	WRP
52	72	8	WRP
52	72	10	R
54	72	10	WRP
55	72	8	WRP
55	72	10	WRP
56	72	8	WR
56	72	10/14	ZDPT
58	72	5,5/7	WR
38	72,5	8/15	DPT
48	72,5	10	R
50	72,5/80	7/13,5/18, 5	special
60	73	11/7	WRP
56	73,15	10	DP
55	73,43	8	WRP
56	74/78,5	8/10	DPTK
38	74,2	10	WR
50,8	74,2	7,9	R
45	74,5	12/14	WRPS-R
40	75	10	WRP
40	75	12	WRPG
42	75	11,5	WRPG
45	75	8	WRP
48	75	12/16	special
55	75	8/13	WRPT
55	75	10	R



GUMET Sz. Geneja Spółka Jawna
 23-200 Kraśnik, ul. Kolejowa 12 POLAND
 Marketing i Sprzedaż
 tel. (0-81) 825-32-41 e-mail: marketing@gumet.pl
 tel./fax (0-81) 825-22-31 e-mail: gumet@gumet.pl
www.polandrubber.com www.gumet.pl

Posiadamy certyfikaty:
 ISO9001 ISO14001



WYMIAR [mm]			TYP
d	D	h	
58	75	7,5/11,5	special
58	75	9	DP
58	75	15/6	DP
60	75	8	WRP
60	75	10	WRP
35	76	9/12,5	AH2145F
40	76	9/12,5	RPTS-L
40	76/83	8,5/12,5	special
52,3	76,1	8,5/14,5	WRPT
54,5	76,1	9,5/15,5	WRPT
57,15	76,2	9,3/11,2	ATR
48,8	77,4	4,8/11	D
46	78	10	DPSG-R
60,5	78	9	WRP
52	78,4	9,5	special
40	80	10	R
40	80	10	WRP
40	80	12	WRP
45	80	10	WRP
50	80	8	WRP
50	80	10	R
50	80	10	WRP
54	80	12,5/14,5	DPS-LR
55	80	8	WRP
55	80	10	WRP
55	80	12	WRPS-R
58	80	10	R
58	80	10	WRP
60	80	8	WRPS-L
60	80	8	WRP
60	80	10	WR
60	80	10	RP
62	80	10	DWRP
62	80	12	WRPS-L
63	80	12/7	DP
64	80	8	DPS-L
64	80	8	DPS-R
64	80	8	WRP
65	80	8	WRP
54	81	10	RP
36	83	12	WRP
72	84/85,5	18/20,5	DPT
40	85	10	WRP
45	85	10	WRP
60	85	8	WRPS-R
60	85	8	WRP
60	85	10	R
60	85	10	WRP
65	85	10	WRP
65	85	13/12,5	DPS-R
69	85	10	DP
70	85	8	WRPSLR

WYMIAR [mm]			TYP
d	D	h	
70	85	8	WRP
65	88	12	DP
70	88	8	WRS-L
70	88	8	DWRPS-L
63,5	88,9	19	WRP
50	90	10	WRP
55	90	10	WRP
55	90	13	RP
60	90	10	WRP
65	90	10	R
65	90	10	WRP
68	90	10	R
68	90	10	WRP
70	90	10	R
70	90	10	DPS-L
70	90	10	WRPS-LR
70	90	10	WRP
70	90	10	WRPS-L
70	90	12	special
70	90	13,5/6	DP
70	90	15/12	WRPS-R
74	90	8	DPS-L
74	90	10	DPS-L
74	90	10	DWRPS-L
74	90	10	WR
70	92	12/16	WATRS-L
70	92	12/16	WATRS-R
60	95	10	WRP
60	95	13	WRP
70	95	8	WR
75	95	10	RP
75	95	12	WRP
72	96	9	WRPS-L
52	97	10/18	WRPTS-LR
80	98	10	WRPS-L
69,8	98,4	19	WRP
35	100	10	WRP
55	100	12	WRP
60	100	10	WRP
65	100	10	WRP
70	100	10	WRP
70	100	13	WRP
73	100	4,5	RZBL
75	100	10	RP
75	100	12	R
75	100	12	WRP
75	100	13	DP
75	100	17	WRPS-R
78	100	10	WRP
80	100	10	DPS-L
80	100	10	WRP
80	100	10	WRP
80	100	10	WRPS-L

WYMIAR [mm]			TYP
d	D	h	
80	100	13	WRPS-L
80	100/105	10	DFBS-L
85	100	10	WRP
77	100,1	11,4	WRPS-L
90	104	11/9	WRPS-L
72	105	13/9,5	DP
75	105	13	WRP
80	105	13	WRPS-LR
80	105	13	WRP
85	105	8	WRPS-L
85	105	12/10,3	WRPS-L
85	105	12	DPS-L
85	105	13	DP
85	105	13/9,5	DPS-LR
88	105	10/11	DWRP
50	110	12	WRP
65	110	10	WRP
73,5	110	10	WRP
75	110	10	WRP
75	110	12	WR
80	110	12	WRP
80	110	13	R
82	110	13	R
85	110	10	WRP
85	110	12	WRPS-LR
85	110	12	WRPS-L
85	110	12	WRP
85	110	13	RP
88	110	13	WRP
90	110	7	WRPS-L
90	110	10	WRP
90	110	12	WRP
90	110	13	WRPS-LR
90	110	16	special
75	112	13	WR
93	114	13	WRPS-L
75	115	13	WRP
85	115	15	RS-L
90	115	13	WRPS-L
90	115	13	WRP
95	115	12	WRPS-LR
95	115	13	WRP
95	117,6	8	R
95	120	12	WRP
98	120	13	WRP
100	120	12	WRP
90	125	16	special
100	125	12	WRPS-R
85	130	22	special
95	130	13	WRP
100	130	12	WRP
105	130	12	WRPS-R



GUMET Sz. Geneja Spółka Jawna
23-200 Kraśnik, ul. Kolejowa 12 POLAND
Marketing i Sprzedaż
tel. (0-81) 825-32-41 e-mail: marketing@gumet.pl
tel./fax (0-81) 825-22-31 e-mail: gumet@gumet.pl
www.polandrubber.com www.gumet.pl

Posiadamy certyfikaty:
ISO9001 ISO14001



WYMIAR [mm]			TYP
d	D	h	
105	130	13	WRPS-L
110	130	12	WRP
110	130	13	WRS-L
85	140	13/17	DWRPTS-LR
100	140	13	WRP
110	140	12	WRP
115	140	13,5	WRPS-L
115	140	16	DPS-L
120	140	13	WRP
125	143	13	WRPS-LR
114	145	14	WRP
126	146	10	RP
100	150	13	WRP
115	150	12	WRP
120	150	12	WRP
125	150	12	WRPS-L
125	150	12	WRP
133,3	158,7	10,9/13	WATRS-L
120	160	15/16	WRPS-LR
120	160	16	WRPS-LR
130	160	12	WRP
130	160	15	WRPS-LR
132	160	12	WRP
142	168	16	WRP
145	175	13	WRP
145	175	14	WRP
145	175	16	WRPS-LR
150	180	12	WRP
150	180	15	WRPS-LR
160	180	13	WR
160	190	15	WRP
135	200	12	WRP
140	200	12	WRP
170	200	15	WRP